

682 STRENGTH AT WORK



IVECO

Your partner for sustainable transport

ALL YOU NEED TO GET ANY JOB DONE



COMFORT

With 10 m³ of space, the driver cab is extremely comfortable: the design with low engine hood creates a huge internal space. The height of the cabin of 2200 mm allows the driver an easier life on board and provide an ideal living and **relaxing environment**, night and day. Moreover, the large windscreen allows optimum visibility, the steering wheel is fully adjustable and all the controls can be easily identified and quickly reached to assure safe control of the vehicle at all times. Thanks to the off-road missions steel bumpers, the 682 can confidently cope with the toughest conditions.

PERFORMANCE

The 682 is powered by IVECO Fiat Powertrain **Cursor 9 and Cursor 13 engines** setting a new standard of reliability and performance for the customers. These engines, equipped with the latest generation **common rail** fuel injection system, generate maximum torque availability in a wide operative range starting from a very low rpm rate (1000 rpm) and delivering optimum elasticity and top **driving performance** in any conditions.

RELIABILITY

The 682 is offered with a driveline equipped with two different types of rear axles:

- **Hub reduction**
- **Single reduction**

The 682 adopts an high tensile steel double neck chassis that is available in two versions:





- **Heavy:** a single high performing chassis and parabolic suspensions for those missions where low curb weight is a key request.
- **Extra Heavy:** a double chassis (8+4 mm) combined with semi-elliptic suspensions for the most demanding applications.

CUSTOMIZATION

682 is strength at work, any work. Thanks to the robust yet light kerb-weighted frame, increased payload comes as standard.

A completely flat and obstruction-free chassis grants maximum ease for bodybuilding activities.

STRENGTH AT WORK, ANY WORK

	 MINING	 LONG HAULAGE & DISTRIBUTION		 CONSTRUCTION		 MUNICIPALITY
MY NEED IS...	TIPPER UP TO 24 m ³	TRACTOR 6x4	RIGID 6x4	TIPPER UP TO 24 m ³	MIXER UP TO 7 m ³	GARBAGE COLLECTOR
MAIN SPECIFICATION	<ul style="list-style-type: none"> • GVW 26 TON • RIGID 6x4 • WB 3625 mm / 4425 mm • HUB REDUCTION • 11R20 TYRES • PTO ON GEARBOX 	<ul style="list-style-type: none"> • GCW 60 TON • WB 3300 mm • SINGLE REDUCTION • 11R20 TYRES • LOW-ROOF CAB 	<ul style="list-style-type: none"> • GVW 26 TON • WB 3625 mm / 4425 mm • HUB REDUCTION • 11R20 TYRES • PTO ON GEARBOX 	<ul style="list-style-type: none"> • GVW 26 TON • RIGID 6x4 • WB 3625 mm / 4425 mm • HUB REDUCTION • 11R20 TYRES • PTO ON GEARBOX 	<ul style="list-style-type: none"> • GVW 33 TON • RIGID 6x4 • WB 3325 mm • HUB REDUCTION • 11R20 TYRES • PTO ON ENGINE 	<ul style="list-style-type: none"> • GVW 26 TON • RIGID 6x4 • WB 3625 mm / 4425 mm • HUB REDUCTION • 11R20 TYRES • PTO ON GEARBOX
MY 682 IS...	DC260G29H	SC600G34TS	DC260G29H	DC260G29H	DC260G29H	DC260G29H
	DC330G34H	SC600G38TS	DC330G34H	DC330G34H	DC330G34H	DC330G34H
KEY FEATURES	<ol style="list-style-type: none"> 1. Heavy loads non-stop transport in extreme conditions 2. Outstanding robustness Easy maintenance 	<ol style="list-style-type: none"> 1. Delivery to national/ international sites with overnight on board 2. Fuel efficiency Safety - Comfort 3. Easy to fit superstructure 	<ol style="list-style-type: none"> 1. Distribution in urban or suburban environment of consumer goods from a central hub/depot to points of sale 2. Fuel efficiency Safety - Comfort 3. Easy to fit superstructure 	<ol style="list-style-type: none"> 1. Operativity includes on-road and off-road performance, driving up and down steep gradients, and tackling uneven winding tracks, open land and barely marked routes 2. Traction - Payload - Ground clearance - Robustness Easy to fit superstructure - Last mile mobility 	<ol style="list-style-type: none"> 1. Refuse collection and other ecological urban services 2. Local regulation compliance Easy to fit superstructure Last mile mobility Safety 	



Genuine Parts
HIGH PERFORMANCE

IVECO GENUINE PARTS

Each 682 vehicle can maintain its levels of performance excellence over time by using IVECO GENUINE PARTS, the original spare parts service based on rigorous selection of materials and suppliers and strict specific testing on every product. IVECO is well aware that time is all-important to its customers. That's why it has an efficient, state-of-the-art. Original Parts sourcing and distribution system, which guarantees delivery of the part you need within 24 hours, anywhere in the world, day or night, 365 days a year. On top of this, the IVECO Shop accessory line allows you to completely customize your 682 in terms of safety, practicality and comfort.



IVECO is a brand of CNH Industrial N.V., a global leader in the capital goods sector that, through its various businesses, designs, produces and sells agricultural and construction equipment, trucks, commercial vehicles, buses and specialty vehicles, in addition to a broad portfolio of powertrain applications. It also distributes high performance genuine parts for all CNH Industrial Commercial Brands.



SERVICE

A professional network to keep your vehicle in good running order.

IVECO workshops provide the manufacturer's quality combined with the skill of technicians who know your vehicle like no-one else.

Specialised diagnostic and repair tools such as E.A.S.Y. and its accessories EasyScope & Easy Skite guarantee efficiency and speed even in indirect assistance missions (Teleservices).



Get more from this brochure with the free My IVECO App.

Download it from the App Store or Google Play to get exclusive access to extra services and information.

It's useful. It's easy. It's free!

www.iveco.com

IVECO

Your partner for sustainable transport

IVECO IS A BRAND OF



THE INFORMATION AND IMAGES IN THIS CATALOGUE ARE PROVIDED AS A GUIDELINE ONLY. IVECO RESERVES THE RIGHT TO MAKE CHANGES FOR ANY COMMERCIAL OR CONSTRUCTION REASONS AT ANY TIME WITHOUT NOTICE

PUBLICATION H1715303MASTER - 07/17