



Overseas Model Shown

**ENGINES\***

Power/Torque 100kW/350Nm

Power/Torque 132kW/430Nm

Power/Torque 155kW/470Nm

**TRANSMISSION**

6 Speed Manual

8 Speed Auto Transmission (optional)

**MASS RATINGS (GVM)**

35S 3800 kg

**WHEELBASE (mm)**

35S 3000-4100 mm

**KEY FEATURES**

Optional 8 Speed Auto Transmission

Steel C section chassis rails

Multiple Pack Options

Heated and suspended Driver's Seat

Adaptive Cruise Control

**MAINTENANCE & REPAIR**

ServiceBond – Up to 5 Years/300,000 km

EasyRoad - Up to 5 Years/300,000 km

Extended Warranty - Up to 5 Years/300,000 km

\*For available options & details see the next pages.

## Specifications 35S VAN

### Dimensions (mm)

|                             |       |       |       |       |
|-----------------------------|-------|-------|-------|-------|
| A Wheelbase                 | 3000  | 3520  | 3520  | 4100  |
| B Overall length            | 5476  | 5687  | 6087  | 7252  |
| C Front overhang            | 1048  | 1048  | 1048  | 1048  |
| D Rear overhang             | 1119  | 1119  | 1519  | 2104  |
| E Overall width (Cab)       | 2052  | 2052  | 2052  | 2052  |
| K Overall height unladen    | 2315  | 2314  | 2660  | 2663  |
| M Front track width         | 1740  | 1740  | 1740  | 1740  |
| N Rear track                | 1704  | 1704  | 1704  | 1704  |
| P Front Ground Clearance    | 140   | 140   | 140   | 140   |
| Q Rear Ground Clearance     | 155   | 155   | 155   | 155   |
| Turning circle kerb to kerb | 10546 | 12084 | 12084 | 13800 |
| Turning circle wall to wall | 11200 | 12744 | 12744 | 14466 |

### Cargo Area (mm)

|                                   |           |           |           |           |
|-----------------------------------|-----------|-----------|-----------|-----------|
| Volume (m³)                       | 7.3       | 9         | 12        | 16        |
| Internal length                   | 2610      | 3130      | 3540      | 4680      |
| Internal width                    | 1740      | 1740      | 1740      | 1740      |
| Internal height                   | 1545 (H1) | 1545 (H1) | 1900 (H2) | 1900 (H2) |
| Height of loading floor - unladen | 715       | 685       | 682       | 685       |
| Wheel house distance (int.)       | 1317      | 1317      | 1317      | 1317      |
| Rear door opening width           | 1530      | 1530      | 1530      | 1530      |
| Rear door opening height          | 1450      | 1450      | 1800      | 1800      |
| Side door opening width           | 1100      | 1260      | 1260      | 1260      |
| Side door opening height          | 1425      | 1425      | 1800      | 1800      |

### Mass (kg)

|                                     |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| GVM                                 | 3800* | 3800* | 3800* | 3800* |
| GCM                                 | 7300  | 7300  | 7300  | 7300  |
| Towing capacity with braked trailer | 3500  | 3500  | 3500  | 3500  |
| Front axle capacity                 | 1900  | 1900  | 1900  | 1900  |
| Rear axle capacity                  | 2430  | 2430  | 2430  | 2430  |
| Kerb mass front axle                | 1359  | 1444  | 1372  | 1420  |
| Kerb mass rear axle                 | 806   | 777   | 907   | 1013  |
| Kerb mass total**                   | 2165  | 2221  | 2279  | 2433  |
| Payload capacity                    | 1635  | 1579  | 1521  | 1367  |

\* 3500kg GVM and 6700kg GCM with rear air suspension

\*\* Kerb masses are with minimal fuel, spare wheel, tools and no driver

### Front Axle & Suspension

**Capacity:** 1900 kg

**Suspension Type:** Double wishbone with transversal leaf spring

### Rear Axle & Suspension

**Capacity:** 2430 kg

**Suspension Type:** Rear parabolic spring

**Optional Suspension:** ECAS - Rear air suspension (3.5T GVM)

**Capacity:** 2240 kg (35S 3.5T GVM)

**Rear axle ratio:** 3.60: 1

### Brakes

**Front / Diameter:** Disc brakes / 300 mm

**Rear / Diameter:** Disc brakes / 296 mm

**Parking brake:** Electronic


**Service brakes:** Full ABS disc brakes with floating calipers and auto wear adjustment. Hydraulically operated with vacuum servo assistance. Dual independent cross split circuit configuration. Low Brake fluid level indicator - front & rear pad wear sensors. Asbestos free pads.

### Wheels & Tyres

**Wheels:** Steel 6.5J x R16

- Spare wheel included - in load compartments on some models
- Single rear wheel

**Tyre Size:** 235/65 R16



## Specifications

### Engine

I36EVID FIA Euro 6 Heavy Duty engine (standard on 35S)  
4 stroke diesel with direct-injection, intercooler and electronic-controlled variable geometry turbine (e-VGT).

**Maximum Output I36EVID:** 100 kW (136 hp) @ 3600 rpm

**Maximum Torque I36EVID:** 350 Nm (258 ft-lbs) @ 1500 rpm

**Optional Engine available on 35S, 50C and 70C:** 210EVID -  
Engine FIC 210 Hp EURO 6 Heavy Duty 4 stroke diesel with  
direct-injection and electronically-controlled variable geometry turbine  
(e-VGT)

**Maximum Output: 210EVID:** 155 kW (210 hp) @ 3500

**Maximum Torque: 210EVID:** 470 Nm (347 ft-lbs) @ 1500

**Emissions Technology:** Exhaust Gas Recirculation and Selective  
Catalytic Reduction

**Total Displacement:** FIA: 2.3 litre, FIC: 3.0 litre

**Exhaust:** Muffler horizontally positioned on the right side and  
tailpipe located mid-way down right side of vehicle

### Transmission

6-speed Synchronesh Double Overdrive Manual Transmission

**Type:** 2835.6 DOD (136 hp)

1st 5.004, 2nd 2.635, 3rd 1.503, 4th 1.000, 5th 0.812 OD,  
6th 0.685 DOD, Rev. 4.189

6-speed Synchronesh Manual Transmission

**Type:** 2840.6 OD (180 hp) 1st 5.375, 2nd 3.154, 3rd 2.041,  
4th 1.365, 5th 1.000, 6th 0.791 OD, Rev. 4.838

**Optional Transmission:** 8-speed ZF Torque Converter  
Automatic (Hi-Matic)

**Type:** 8V470A - 1st 4.696, 2nd 3.130, 3rd 2.104, 4th 1.667,  
5th 1.285, 6th 1.000, 7th 0.839 OD, 8th 0.667 DOD, Rev. 3.297

### Steering

**Type:** Electric Power Steering (EPS)

**Diameter:** 380 mm diameter steering wheel with  
telescopic and tilt adjustment

### Clutch

**Type:** Single dry plate hydraulic control

**Diameter:** 267 mm (136 hp); 280 mm (180 hp)

### Fuel System

100 litres with fuel cap location on passenger side  
(70 litres on 7.3m3)

20 litre Adblue

### Electrical System

**Type:** 12V

**Battery:** 12V-110 Ah (Smart-charging)

**Smart Alternator:** 12V-220 A

**Trailer:** Wiring to rear of chassis

### Chassis

**Type:** C Section steel longitudinal side members and  
tubular cross members

### Cabin Features

- Driver, passenger and curtain airbags with seat belt pretensioners
- Suspended, heated and fully adjustable driver seat with armrest
- Bench seat with two occupant capacity, under seat storage and fold down table
- Adaptive cruise control
- Electric windows
- Exterior mirrors with integrated wide angle and direction indicators, heated and electronically adjustable
- Overhead console with storage shelf
- Large dual storage pockets in doors
- Document storage compartment
- Body builder connections
- 2 cup and 2x bottle holders
- Air conditioning
- Electronic parking brake
- Ecoswitch Pro
- 2 spotlights
- 4 loud speakers



Overseas Model Shown



## Specifications

### Safety

- **ESP9** - Includes: ABS (Antilock Braking System), EBD (Electronic Brake force Distribution), ASR (Anti Slip Regulator), MSR (Motor Drag torque control) Hill Holder (Assisted uphill departure), HBA (Hydraulic Brake Assist), LAC (Load Adaptive Control), TSM (Trailer sway mitigation), RMI (Roll Movement Intervention), & ROM (Roll Over Mitigation)
- Four SRS airbags
- Advanced Emergency Braking System (AEBS)
- Reverse Camera

### Lights

- Daytime running lights
- Full L.E.D Headlights (available with Hi-Business Pack)

### Dashboard

- 3.5" high resolution TFT colour display and silver dial rings
- TFT Display Panel includes: digital speedometer, ADAS (Advanced Driver-Assistance Systems) dashboard, ADAS quick menu, TPMS, oil, battery and service information. Navigation and phone multimedia, fuel economy, trip computer, vehicle settings, display settings and diagnostics.
- Engine oil level display
- Hi-Connect Multimedia System - Apple CarPlay, Android Auto, DAB Radio, MP3 player, USB and AUX connectivity, Bluetooth with steering wheel controls
- Instrument light dimmer switch
- Dash-mounted gear lever
- 3 storage areas on top of dash

### Security

- Central locking with remote control
- Steering lock
- Engine immobiliser
- Run Lock Function (Only available if Expansion Module option is selected)

### Load Area

- Floor – steel ribbed with load lashing rings
- Side access via top hung side sliding door internal step and grab handle
- Rear access by hinged doors with stops at 90° and 270° (180° on 7.3 m3) and grab handle
- Interior lights at side and rear (door operated with individual isolation)
- Full bulkhead with window



## Options

### 35C VAN Options:

|                                                                   |   |
|-------------------------------------------------------------------|---|
| 7m³ = 3000WB x 1545 (H1)                                          | S |
| 9m³ = 3520WB x 1545 (H1)                                          | O |
| 12m³ = 3520WB x 1900 (H2)                                         | O |
| 16m³ = 4100WB x 1900 (H2)                                         | O |
| FIC 3.0L engine: 180 hp / 430 Nm                                  | O |
| FIC 3.0L engine: 210 hp / 470 Nm                                  | O |
| 8-speed Hi-Matic Automatic Transmission                           | O |
| ECAS rear air suspension                                          | O |
| Windows in rear; doors heated and tinted                          | O |
| Window on sliding door (passenger side)                           | O |
| Dual sliding doors                                                | O |
| Windowed dual sliding doors                                       | O |
| Passenger seat: heated, suspended, adjustable with lumbar support | O |
| Remove bulkhead                                                   | O |
| Bulkhead for side door loading pallet mission                     | O |
| Rear step                                                         | S |
| Expansion module                                                  | O |
| Run lock function                                                 | O |
| Light aluminium alloy wheels                                      | O |
| Crosswind Assist                                                  | O |

O – Optional

S – Standard

## Optional Upgrade Packs

### Hi-Business Pack

- Fog lights
- Full L.E.D Headlights
- Open storage with inductive plus USB charge
- Hi-Connect multimedia system with GPS navigation

### Hi-Comfort Pack

- Leather covered steering wheel
- Automatic controlled air conditioning
- Tyre Pressure Monitoring System (TPMS)
- Automatic wipers and headlights control

### Hi-Technology Pack – Automatic Transmission

- City brake
- Queue assist
- Traction plus and hill descent
- Automatic high beam control
- Lane departure warning system + Proactive lane keep assist

### Hi-Technology Pack – Manual Transmission

- City brake
- Traction plus and hill descent
- Automatic high beam control
- Lane departure warning system + Proactive lane keep assist



Disclaimer:

IVECO Trucks Australia Pty Ltd. ABN 86 004 065 061 ("IVECO") distributes IVECO trucks in Australia and New Zealand. The information and images in this document are provided as a guide only. IVECO reserves the right to make changes at any time without notice to the information contained in this document for any commercial reasons. Always consult your authorised IVECO Dealer to ensure the specifications, equipment, options, and design features including colour, are available for the vehicle before deciding to place an order, some options may only be available in combination with others. Overseas images are shown throughout this document and the images may include equipment which is not optional. To the extent permitted by law to do so, IVECO shall not be liable to any person because of reliance on the content contained in this document.