







The IVECO T-WAY has been engineered and built to guarantee reliability and durability in the toughest challenges and environments. The legendary robustness of the high resistance steel chassis with a 10 mm thick frame, combined with the suspension system's high resistance, contribute to the excellent performance in the harshest conditions.

The new rear axles and the new-design air suspension for tandem axles have been tested in the harshest conditions. The redesign of a number of components contributes to a kerb weight optimization up to 500 kg, increasing the IVECOT-WAY's payload capacity.

04

NEW FUNCTIONAL DESIGN

The cab has been entirely redesigned focusing on functionality to facilitate the driver's daily work with features that improve visibility, protect from dirt, and much more. The new design also simplifies maintenance and repair operations, making it easier to change components. The chassis layout has been entirely reviewed to facilitate the customization of bodybuilders.




06

PREMIUM DRIVING COMFORT

The entire driver area has been created to provide the ultimate driving environment with outstanding ergonomics and controls layout, more space and excellent visibility. Every single detail has been carefully studied to meet the driver's expectations on the road.











Choose the soft touch or leather steering wheel, both available in the classic shape or with the distinctive flat base.



MOBILITY AND SAFETY ON ALL TERRAINS

The IVECO T-WAY can rely on a vast range of features and functionalities to perform every type of mission flawlessly, delivering consistently high productivity on all terrains and conditions. It will complete your mission efficiently, ensuring the highest safety levels on- and off-road.

HI-TRONIX GEARBOX WITH OFF-ROAD FUNCTIONALITIES

With the 16-speed HI-TRONIX automated gearbox you can benefit from a host of functionalities such as Rocking Mode, Off-road Mode, Creeping Mode and 4 reverse gears to tackle with ease the toughest off-road conditions.

FULLY MODULAR SUSPENSION CONCEPT

The IVECOT-WAY offers ultimate flexibility with a choice of air and mechanical suspensions – both parabolic and semi-elliptic.

AWD (ALL WHEEL DRIVE) & PWD (PARTIAL WHEEL DRIVE)

The IVECO T-WAY offers a complete line-up of AWD and PWD to meet the requirements of every mission – even the most demanding.


BRAKES PERFORMANCE AND SAFETY IMPROVEMENTS

The new architecture of the EBS system, combined with disc brakes on all wheels, has dramatically improved the vehicle's performance, and consequently the safety of the driver, vehicle and other road users.





EBSElectronic
Braking System



BAS
Brake Assistant
System




Electronic Stability Program



LDWSLane Departure
Warning System



HILL HOLDER



LED DRLDaytime Running

Lights

EBS+BAS

Electronic Braking System + Brake Assistant System

Combines the ABS, ASR (Acceleration Slip Regulation) functions, ensuring shorter stopping distances and uniform brake pad wear.

Improves braking in emergency conditions, combining the action of the engine brake and the INTARDER (retarder).

ESP

Electronic Stability Program

Regulates the power of the engine and brakes on the individual wheels in the event of understeer, oversteer or sudden changes in trajectory in order to stabilise the vehicle.

LDWS

Lane Departure Warning System

Alerts the driver if the vehicle crosses the lane markers without prior activation of the turn indicators.

HILL HOLDER

In hill starts, prevents the vehicle from rolling back for a few seconds after the brake pedal is released.

LED DRL

Daytime Running Lights

Keeps the daytime running lights on at all times to ensure the maximum visibility of the vehicle. Bi-xenon and conventional lights available.





HIGH VERSATILITY TO MATCH YOUR MISSION

The IVECO T-WAY is a highly versatile vehicle: with its legendary robustness, high payload capacity, kerb weight optimization, and wide offering of features and components, it can be tailored to precisely match the requirements of your mission.



MISSION

MIXER 14-15

TIPPER 16-17

A WIDE VARIETY OF MISSIONS 18-19

MIXER

The IVECO T-WAY is built to carry massive payloads on all terrains - it can mount concrete mixers of high capacity up to 12 m³ for a 40-tonne GVW.

WEED T-WAY

EXCELLENT MANOEUVRABILITY

The offering of axle configurations and wheelbases delivers excellent manoeuvrability and turning circle.

ROBUST CHASSIS

The legendary strength of the chassis, with its 10 mm frame with constant section, means that it can carry high-capacity concrete mixers.

IMPROVED DIRECT AND INDIRECT VISIBILITY

The aerodynamic design of the mirrors and their optimized positioning further improves visibility. The rear window of the AD/AT cabs provides excellent visibility on the rear of the vehicle.

NEW ESP AND LDWS

Functionalities for Safety improvement.

POWERFULLY EFFICIENT ENGINES

The 13-litre engine deliver all the power you need

with outstanding fuel efficiency.

IDEAL POWER TAKE-OFF

The IVECO T-WAY offers a choice of permanently engaged PTOs that with the new sandwich PTO deliver up to a maximum of 2300 Nm, which is perfect for a mixer body combined with a concrete pump.

MECHANICAL OR AUTOMATED GEARBOX

The automated gearbox provides greater driving comfort in these vehicles that typically travel short distances and are frequently caught in traffic.

FRONT AND REAR BRAKES

Both Disc and Drum brakes configurations available to cover all Mission.

KERB WEIGHT OPTIMIZATION up to 500 kg – depending on the number of axles, thanks to:

New one-piece suspension support of suspension system EBS and Full Air Disc Brakes Alloy wheels option Aluminium air tanks option

NEW HI-MUX ELECTRONIC ARCHITECTURE

Wider Body Buildings interfaces and connectivity.

TIPPER

The IVECO T-WAY will drive wherever you need it to go, carrying big payloads in all conditions – from unmetalled roads to extreme off-road terrains, in all weathers and in the harshest environments.

IVECO Y-WAY

POWER TAKE-OFF

The body lifting hydraulic circuit is driven by a gearbox or engine PTO that delivers the power needed to operate all types of tipper.

CHOICE OF GEARBOXES

Manual or automated: choose your transmission according to the type of road use – maximise comfort and safety while reducing operating costs.

NEW ESP and LDWS

Functionalities for Safety improvement.

IMPROVED DIRECT AND INDIRECT VISIBILITY

The aerodynamic design of the mirrors and their optimized positioning further improves visibility. The rear window of the AD/AT cabs provides excellent visibility on the rear of the vehicle.

ENGINES

The line-up offers different engine ratings to deliver the right power and torque for your mission.

FRONT AXLE

Leaf springs with load capacity up to 9 tonnes.

COMFORTABLE AND SAFE ACCESS

Well placed handles and footsteps provide safe access to the cab and tipping bridge. The dropdown lowest step is hung with rubber straps to better absorb shocks.

FRONT AND REAR DISC BRAKES ON PWD CONFIGURATION

Disc brakes ensure better deceleration, and involve lower maintenance costs and less wear and tear.

PAYLOAD

With its robust chassis and weight optimization, the IVECO T-WAY designed to be equipped with high-capacity tippers and carry big payloads.

WIDE OFFER OF CHASSIS

Choose from a wide offering of wheelbases, ranging from 3300 mm to 5820 mm, and rear overhang lengths.

REAR SUSPENSIONS

The IVECO T-WAY offers a choice of front and rear suspensions (parabolic, reinforced, multi-leaf) in combination with all configurations to optimize stability and robustness in all conditions.

MULTIPLE AXLE CONFIGURATIONS

 $\label{lem:choose from a wide variety of configurations to match your exact needs.}$

A WIDE VARIETY OF MISSIONS

CRANE & PLATFORM

The IVECO T-WAY can be fitted with every type of crane, from flatbed to platform cranes. The robustness and modular concept of the vehicle enables us to fit cranes at the back of the cab, in a central position or at the rear of vehicle with no compromise on stability.

TIMBER

The IVECO T-WAY delivers the high power you need and offers the ideal features to load, transport and unload timber with ease. It will transport your logs comfortably in forests and woods, on the roads, and all the way to your destination: our powerful engines, the robust chassis and big payload capacity are all features designed for this multi-faceted mission.

GULLY CLEANER

The IVECO T-WAY is optimized for the easy installation of a gully cleaner body and to provide all the features you need. High performance is essential in this mission, and the new clutch independent sandwich PTO designed to unleash up to 2300 Nm delivers the huge torque required.





TIPPER SEMITRAILER

IVECO T-WAY tractors in 6x4 configuration combine the best fuel efficiency with the ultimate safety technologies of the new cab. These features give you the confidence to tackle with ease the most difficult conditions of jobsites while ensuring high productivity, safety and delivering excellent Total Cost of Ownership.

CONCRETE (PUMPS, MIXER, MIXER PUMPS)

With the IVECO T-WAY you can meet every construction site requirement for concrete – from a simple concrete mixer to pumps and mixer pumps. The introduction of a complete range of PTOs in various positions on the vehicle enables us to meet the needs of every application with torque above 2000 Nm.

PUBLIC UTILITIES


The vast choice of configurations and extreme versatility mean that the IVECOT-WAY range is able to meet the requirements of a wide variety of applications – from road resurfacing to snow clearing, from waste collection to road services.

CHOOSE YOUR CONFIGURATION

The modular, mission-oriented approach of the IVECO T-WAY with a wide choice of features and components, together with the structural strength and low kerb weight, provides ultimate flexibility in customizing the vehicle to the specific requirements of a wide variety of applications.

CABINS

The IVECO T-WAY cab line-up offers a choice of cabs to match your mission: the **AT** sleeper cab with low or medium roof, and the **AD** short cab with low roof.



LEGEND

- 1 Width
- 2 Overall Height
- 3 Length
- 4 Floor to Roof Cab Centre
- 5 Tunnel Height
- 6 Passenger Usable Space
- 7 Lower Usable Space
- 8 Upper Usable Space

		1	2	3	4	5	6	7	8		
	Roof	Width (mm)	Overall Height (mm)	Length (mm)	Floor to Roof Cab Centre (mm)	Tunnel Height (mm)	Passenger Usable Space (mm)	Lower Usable Space (mm)	Upper Usable Space (mm)	Bunk (2)	Boarding Steps
AT											
	Medium	2300	3550 ⁽¹⁾	2150	1850	340	370	470	480	I (2)	2
	Low	2300	2900 ⁽¹⁾	2150	1250	340	370	470	-	I	3
AD											
	Low	2300	2550 ⁽¹⁾	1700	1250	340	370	_	_	0	3

Dimensions can vary according to the model

NOTE

(1) Approximate measures; may change based on suspensions, assembly variables and approximations.

(2) Upper bed as option.

AT Cab

Lower bunk length 1950 mm, width 540 mm, upper bunk length 1850 mm, width 680 mm.

ENGINES

IVECO T-WAY introduces the new Cursor 13 litres Common Rail engine with different engine ratings from 430 to 480 hp to suit all the applications and deliver class leading power.

ENGINES/GEARBOX EURO III - EURO V

ENGINE	DISPLACEMENT (litres)	TURBO	POWER (hp)	TORQUE (Nm)
			430	2100
CURSOR 13 Common Rail	12.9	WG	470	2200
			*480	2200

MANUAL 16 SPEED	AUTOMATED 16 SPEED		
ZF Ecosplit	ZF Hi-Tronix		
HR axle	HR axle		
16 S 2220 TO (2200 Nm)	16 TX 2240 TO (2200 Nm)		
16 S 2520 TO (2500 Nm)	16 TX 2240 TO (2200 Nm)		

*Euro V version only.



Cursor 13

POWER TAKE OFF

	DEPENDENT / INDEPENDENT FROM TRANSMISSION	CONNECTION	RATIO	TORQUE (Nm)	ROTATION				
ENGINE PTO									
Switchable	1-1	Done / Flores	1.12 / 1.14	800	0				
Not switchable	Independent	Pump / Flange	1.14 / 1.195	800	Opposite engine				
SANDWICH PTO									
Switchable	Independent	Flange	1.02 / 1.27 / 1.56	1602 – 2300	Same as engine				
MULTIPOWER PTO									
Switchable	Independent	Flange	1,29	900	Same as engine				
Not switchable	independent	riange	1.27	900	Same as engine				
GEARBOX PTO									
NH/Ib - NH/Ic			1.00	1000	Opposite engine				
NH/4b – NH/4c	Dependent	Pump / Flange	0.90 / 1.28	430					
NTX/10b - NTX/10c	Dependent		0.91 / 1.09 / 1.28 / 1.59	490 – 720	Same as engine				
NTX/10c+bR			(0.91-1.28) / 1.09-1.59	490 – 720					



ELEMENTS

PICK THE SERVICES THAT PERFECTLY MATCH YOUR BUSINESS

The IVECO T-WAY offers an extensive range of services that can be tailored to your precise requirements to keep your vehicle running in top form and your business operating with a healthy bottom line.

The IVECO T-WAY introduces an entirely new level of customisation through connectivity. The real-time vehicle data it provides enables us to offer you **bespoke maintenance plans** based on the real use of your IVECO T-WAY – a perfect match to your business.

Alternatively, our **Elements** range offers the extreme **flexibility** that enables you to choose the combination of Planned Maintenance and Extended Warranty services for your business, and further enrich your package with the Additional Coverage elements.



MAINTENANCE

- Maintenance
- Lubrification
- Oil and fluid changes according to the maintenance and repair handbook



- Engine
- Fuel injection - Gearbox
- Propeller shaft and axle repairs

EXTRA DRIVE LINE

- Components not already covered by the drive line element e.g. Electrical System

WEAR

- Clutch - Brake pads
- Brake discs
- Brake discs - Brake drums
- Brake linings for drum brakes

The major "elements" making up the offer (Maintenance, Drive Line, Extra Drive Line, Wear) can be combined in order to create the contract that perfectly suits your business. The table below summarises all the possible combinations:

PLANNED MAINTENANCE CONTRACTS

	MAINTE- NANCE	DRIVE LINE	EXTRA DRIVE LINE	WEAR
	8	6		0
3XL-LIFE	•	•	•	•
2XL-LIFE	•	•	•	
XL·LIFE	•	•		•
L·LIFE	•	•		
H-LIFE	•			•
S-LIFE	•			

EXTENDED WARRANTY

	DRIVE LINE	EXTRA DRIVE LINE
	6	
XTRA XTENDED	•	•
XTENDED	•	

For inclusions/exclusions please refer to contractual documents relevant to your Market.

IVECO ACCESSORIES



The truck is much more than a vehicle: it is where thousands of people live and work every day. That's why IVECO Accessories created a range of tailor-made products to meet the driver's needs, improve their performance, enhance the vehicle's style and comfort, and introduce new technologies on board.

CUSTOMIZE YOUR IVECO T-WAY TO THE NEEDS OF YOUR BUSINESS

Customize your IVECO T-WAY to match your missions choosing from a wide range of high quality accessories developed to enhance the visibility, comfort, safety and profitability of your vehicle. Details that make the difference.



SAFETY&VISIBILITY

Choose from a range of accessories to increase your safety while driving; as the reversing safety systems proving a greater range of vision during manoeuvres and beacon which gives high visibility in all directions, recommended for emergency situations or special manoeuvres.



PROFITABILITY

To reduce overall TCO IVECO Accessories offer you a wide range of anti-siphon systems. The aluminium devices prevent diesel fuel theft, are indestructible, allow a quick refueling and are easy to install.




COMFORT

The IVECO Accessories seat covers and mats lines are perfectly integrated with the internal style of the cab. The choice of materials matches all mission requirements.



HI-TECH ON BOARD

Our accessories aim to make the drivers life on board as productive and comfortable as possible. The coffee machine will help them through long working days. The custom-made dashboard bracket with USB socket will safely hold their mobile device while it is charging.



http://application.cnh-parts-service.eu/iveco.php



The free app can be downloaded from App Store to get exclusive access to extra images and information.



IVECO SERVICES

IVECOCAPITAL

IVECO CAPITAL is the captive financial services Brand of IVECO, and offers a full range of financing, leasing, rental and ancillary services for commercial vehicles. Extended warranty, maintenance and repair services, and various types of insurance, can be included in the pack*.

All financial packs can be tailored to the Customer's needs, and apply to new, used vehicles and conversions.

For more information, please contact your IVECO Dealer.

*Subject to credit approval. Offerings and products may vary by country depending on the local fiscal and accounting regulations.







IVECO Assistance Non-Stop is just a phone call away 24 hours a day, 7 days a week to keep your IVECO T-WAY and your business running.

IVECO Non-Stop is the original IVECO smartphone application that you can use to communicate with IVECO if your vehicle breaks down. Just insert your vehicle information (VIN and registration plate) and with a simple push of a button you can send a request for assistance to the IVECO Customer Center. We will take care of your request immediately, activate the nearest workshop and follow up on the vehicle's repair. Through the app you can receive updates on the progress of your vehicle's assistance.



IVECO

Genuine Parts
HIGH PERFORMANCE

IVECO Genuine Parts represent the best guarantee of **safeguarding the value of IVECO T-WAY** over time, **protecting from unplanned downtime**, ensuring safety for people and goods. IVECO also offers the widest range of new and remanufactured components, servicing kits and telematics solutions, suitable for every stage of the IVECO T-WAY's lifecycle. IVECO operates a network of 7 parts depots across AMEA Region, covering over 40,000 sqm, managing 105,000 part numbers and guaranteeing 24/7 parts delivery.



25



IVECO is a brand of CNH Industrial N.V., a global leader in the capital goods sector that, through its various businesses, designs, produces and sells agricultural and construction equipment, trucks, commercial vehicles, buses and specialty vehicles, in addition to a broad portfolio of powertrain applications. It also distributes high performance genuine parts for all CNH Industrial Commercial Brands.

CHOOSE YOUR IVECO T-WAY MODEL

			ARTIC		
		6x4 (PWD)	4x4 (AWD) - Only LHD	6x6 (AWD) - Only LHD	
IVECO T-WAY	r				
CAB ROOF	AT				
CAB ROOF	AD				
ENGINE / GEARBOX	Cursor 13	Automated / Manual	Automated / Manual	Automated / Manual	
REAR AXLE / SUSPENSION (BRAKES)		Steel susp. (DRUM & DISC) Air susp. (DISC)	Steel susp. (DRUM)	Steel susp. (DRUM)	
VEHICLE SETUP		OFF	OFF	OFF	
CHASSIS		10 mm	7.7 mm	10 mm	
WHEELBASES (mm)		3300 - 3500	3800	3500 - 3800	



				RIGID		
		6x4 (PWD)	8x4 (PWD)	4x4 (AWD)	6x6 (AWD)	8X8 (AWD) - Only LHD
IVECO T-WAY						// ## // ##
CAB ROOF	AT					-
	AD		***			
ENGINE / GEARBOX	Cursor 13	Automated / Manual	Automated / Manual	Automated / Manual	Automated / Manual	Automated / Manual
REAR AXLE / SUSPENSION (BRAKES)	HR	Steel susp. (DRUM & DISC)	Steel susp. (DRUM & DISC)	Steel susp. (DRUM)	Steel susp. (DRUM)	Steel susp. (DRUM)
VEHICLE SETUP		OFF	OFF	OFF	OFF	OFF
CHASSIS		I0 mm	10 mm	10 mm	10 mm	10 mm
WHEELBASES (mm)		3300 - 3500 - 3800 - 4200 - 4500	4.500 - 4750 - 5020 - 5820 *LHD: 4500 - 4750 - 5020 - 5820 *RHD: 4750 - 5020 - 5820	3800 - 4200 - 4500	3.500 - 3800 - 4200 - 4500	4750 - 5020

*Only T-WAY Euro V

26



